# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : E-LIQUIDE 50/50 SALT E-VAPOR MANGUE ANANAS 10 MG/ML Product code : SEV-ANMANG-10.

**1.2.** Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Registered company name : LABORATOIRE LIPS FRANCE.

Address : PA DU BIGNON.44110.ERBRAY.FRANCE.

Telephone : 02 40 28 71 67. Fax : .

contact@lefrenchliquide.com

www.lipsfrance.com

# 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

```
GHS07
Signal Word :
WARNING
Product identifiers :
EC 200-193-3
                       NICOTINE (ISO)
Hazard statements :
                                      Harmful if swallowed.
H302
Precautionary statements - General :
P101
                                      If medical advice is needed, have product container or label at hand.
P102
                                      Keep out of reach of children.
P103
                                      Read label before use.
Precautionary statements - Prevention :
P264
                                      Wash ... thoroughly after handling.
P270
                                      Do not eat, drink or smoke when using this product.
Precautionary statements - Response :
P301 + P312
                                      IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.
P330
                                      Rinse mouth.
Precautionary statements - Disposal :
P501
                                      Dispose of contents/container to ...
```

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	25 <= x % < 50
EC: 200-338-0			
REACH: 01-2119456809-23			
PROPYLENE GLYCOL			
CAS: 56-81-5		[1]	25 <= x % < 50
EC: 200-289-5			
GLYCEROL			
CAS: 54-11-5	GHS06, GHS09	[1]	1 <= x % < 2.5
EC: 200-193-3	Dgr		
	Acute Tox. 1, H300		
NICOTINE (ISO)	Acute Tox. 2, H310		
	Acute Tox. 2, H330		
	Aquatic Chronic 2, H411		

### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# 5.3. Advice for firefighters

No data available.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

# For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention :

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :** 

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

## Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# Occupational exposure limits :

in e minines .					
2017/164/UE, 2	009/161/UE, 20	06/15/CE, 200	0/39/CE, 98/24/	CE)	
VME-mg/m3 :	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :	]
0.5	-	-	-	Peau	]
erican Conferen	ce of Governme	ental Industrial	Hygienists, Thr	eshold Limit Va	lues, 2010) :
TWA :	STEL :	Ceiling :	Definition :	Criteria :	]
10 mg/m3					
0,5 mg/m3			Skin		
BAuA - TRGS	900, 21/06/2010	0):			
VME :	VME :	Excess	Notes		
	0,5 mg/m3		2(II)		
0984 :2012) :				_	
VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
-	10	-	-	-	-
-	0.5	-	-	-	-
place exposure l	imits, EH40/20	05, 2007) :			
TWA :	STEL :	Ceiling :	Definition :	Criteria :	]
150 ppm					]
474 mg/m3					
10 mg/m3					1
10 mg/m5					
	VME-mg/m3 :           0.5           erican Conferen           TWA :           10 mg/m3           0,5 mg/m3           BAuA - TRGS           VME :           >984 :2012) :           VME-ppm :           -           -           place exposure 1           TWA :           150 ppm           474 mg/m3	2017/164/UE, 2009/161/UE, 20         VME-mg/m3 :       VME-ppm :         0.5       -         erican Conference of Governmed         TWA :       STEL :         10 mg/m3       -         0,5 mg/m3       -         BAuA - TRGS 900, 21/06/2010       VME :         VME :       VME :         0,5 mg/m3       -         2084 :2012) :       VME-mg/m3 :         -       10         -       0.5         place exposure limits, EH40/20         TWA :       STEL :         150 ppm       474 mg/m3	2017/164/UE, 2009/161/UE, 2006/15/CE, 2000         VME-mg/m3 :       VME-ppm :       VLE-mg/m3 :         0.5       -       -         erican Conference of Governmental Industrial       TWA :       STEL :       Ceiling :         10 mg/m3       -       -       -         0,5 mg/m3       -       -       -         BAuA - TRGS 900, 21/06/2010) :       VME :       Excess       -         0,5 mg/m3       -       -       -         D984 :2012) :       VME-mg/m3 :       VLE-ppm :       -         -       10       -       -       -         -       0.5       -       -       -         place exposure limits, EH40/2005, 2007) :       TWA :       STEL :       Ceiling :         150 ppm       474 mg/m3       -       -       -	2017/164/UE, 2009/161/UE, 2006/15/CE, 2000/39/CE, 98/24/         VME-mg/m3 : VME-ppm :       VLE-ppm :         0.5       -         erican Conference of Governmental Industrial Hygienists, Thr         TWA :       STEL :         10 mg/m3       -         0,5 mg/m3       Skin         BAuA - TRGS 900, 21/06/2010) :       -         VME :       VME :       Excess         0,5 mg/m3       2(II)         D984 :2012) :       -         VME-ppm :       VME-mg/m3 :       VLE-mg/m3 :         -       10       -         -       0.5       -         place exposure limits, EH40/2005, 2007) :       -         TWA :       STEL :       Ceiling :       Definition :         150 ppm       474 mg/m3       -       -	2017/164/UE, 2009/161/UE, 2006/15/CE, 2000/39/CE, 98/24/CE)         VME-mg/m3 :       VME-ppm :       VLE-mg/m3 :       VLE-ppm :       Notes :         0.5       -       -       -       Peau         erican Conference of Governmental Industrial Hygienists, Threshold Limit Va         TWA :       STEL :       Ceiling :       Definition :       Criteria :         10 mg/m3       -       -       -       -         0,5 mg/m3       Skin       -       -         BAuA - TRGS 900, 21/06/2010) :       -       -       -         VME :       VME :       Excess       Notes         0,5 mg/m3       2(II)       -       -         O984 :2012) :       -       -       -         VME-ppm :       VME-mg/m3 :       VLE-ppm :       Notes :         -       10       -       -       -         -       0.5       -       -       -         place exposure limits, EH40/2005, 2007) :       TWA :       STEL :       Ceiling :       Definition :       Criteria :         150 ppm       474 mg/m3       -       -       -       -       -

#### Predicted no effect concentration (PNEC):

PROPYLENE GLYCOL (CAS: 57-55-6)	0.11
Environmental compartment: PNEC :	Soil. 50 mg/kg
THEC.	50 mg/kg
Environmental compartment:	Fresh water.
PNEC :	260 mg/l
Environmental compartment: PNEC :	Sea water.
PNEC :	26 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	183 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	572 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	57.2 mg/kg
	000
Environmental compartment:	Waste water treatment plant.
PNEC :	20000 mg/l
Environmental compartment:	Fresh water predators (oral).
PNEC :	1133 mg/kg
THEC.	1155 mg/kg

### **8.2. Exposure controls**

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not stated.
	Neutral.
Boiling point/boiling range :	Not specified.
Flash Point Interval :	$FP > 100^{\circ}C.$
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Soluble.
Viscosity:	$v < 7 \text{ mm}2/s (40^{\circ}\text{C})$
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	

No data available.

# SECTION 10 : STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid :

- frost

## **10.5. Incompatible materials**

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

# 11.1.1. Substances

## Acute toxicity :

NICOTINE (ISO) (CAS: 54-11-5) Oral route :	LD50 = 5 mg/kg Species : Rat
Dermal route :	LD50 = 70 mg/kg Species : Rabbit
Inhalation route (Dusts/mist) :	LC50 = 0.19 mg/l Species : Rat
PROPYLENE GLYCOL (CAS: 57-55-6) Oral route :	LD50 > 2000 mg/kg Species : Rat
Dermal route :	LD50 = 20800  ml/kg

Species : Rabbit

#### 11.1.2. Mixture

No toxicological data available for the mixture.

# **SECTION 12 : ECOLOGICAL INFORMATION**

# 12.1. Toxicity

# 12.1.1. Substances

NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity :

LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h

Species : Pimephales promelas Duration of exposure : 96 h

Species : Skeletonema costatum Duration of exposure : 14 days

ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h

LC50 = 51400 mg/l

EC50 = 34400 mg/l

NOEC < 5300 mg/l

DBO5/DCO = 0.66

Species : Daphnia magna Duration of exposure : 48 h

PROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :

Crustacean toxicity :

Algae toxicity :

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

# 12.2.1. Substances

NICOTINE (ISO) (CAS: 54-11-5) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

PROPYLENE GLYCOL (CAS: 57-55-6) Chemical oxygen demand :	DCO = 1.63 g/g
Five-day biochemical oxygen demand :	DBO5 = 1.08 g/g
Biodegradability :	Rapidly degradable.

## 12.3. Bioaccumulative potential

#### 12.3.1. Substances

NICOTINE (ISO) (CAS: 54-11-5) Octanol/water partition coefficient :	log Koe = 1.17
PROPYLENE GLYCOL (CAS: 57-55-6) Octanol/water partition coefficient :	log Koe = -0.30
Bioaccumulation :	BCF = 1.4

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### **13.1.** Waste treatment methods

Do not pour into drains or waterways.

### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

#### **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

### 14.1. UN number

- -
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 88 I
- 14.5. Environmental hazards
- 14.6. Special precautions for user

# **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)
- Container information:

The mixture is packed in an interior packaging, not exceeding 10 ml, the required labelling elements appear on the outer packaging. Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### **X**

## Wording of the phrases mentioned in section 3 :

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H411	Toxic to aquatic life with long lasting effects.

# Abbreviations :

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.