SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : E-LIQUIDE SALT EVAPOR LA PETITE CHOSE 20 MG/ML 50/50 Product code : SEV-LAPETITECH-10-20.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : LABORATOIRE LIPS FRANCE. Address : 4 Rue des Savoir-Faire, ZI Beau Soleil.44450.SAINT JULIEN DE CONCELLES.FRANCE. Telephone : 02 40 28 71 67. Fax : .

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 3 (Acute Tox. 3, H301).

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use. **2** Label elements

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS06	
Signal Word :	
DANGER	
Product identifiers : EC 200-193-3	NICOTINE (ISO)
Additional labeling : EUH208	Contains 2,5-DIMETHYL-4-HYDROXY-3-FURANONE (FURANEOL R). May produce an allergic reaction.
Hazard statements :	
H301	Toxic if swallowed.
Precautionary statemen	ts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
Precautionary statemen	ts - Prevention :
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
Precautionary statemen	ts - Response :
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P330	Rinse mouth.
Precautionary statemen	ts - Storage :
P405	Store locked up.
Precautionary statemen	ts - Disposal :
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

manaiti

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	25 <= x % < 50
EC: 200-338-0			
REACH: 01-2119456809-23			
PROPYLENE GLYCOL			
CAS: 56-81-5		[1]	25 <= x % < 50
EC: 200-289-5			
GLYCEROL			
CAS: 54-11-5	GHS06, GHS09	[1]	1 <= x % < 2.5
EC: 200-193-3	Dgr		
	Acute Tox. 1, H300		
NICOTINE (ISO)	Acute Tox. 2, H310		
	Acute Tox. 2, H330		
	Aquatic Chronic 2, H411		
CAS: 3658-77-3	GHS07		0 <= x % < 1
EC: 222-908-8	Wng		
	Skin Sens. 1A, H317		
2,5-DIMETHYL-4-HYDROXY-3-FURANONE	Eye Irrit. 2, H319		
(FURANEOL R)			
		· ·	

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

E-LIQUIDE SALT EVAPOR LA PETITE CHOSE 20 MG/ML 50/50 - SEV-LAPETITECH-10-20

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid exposure - obtain special instructions before use.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	· ·	VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :
54-1	1-5	0.5	-	-	-	Peau

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :] ´ ´
56-81-5	10 mg/m3]
54-11-5	0,5 mg/m3			Skin		
- Germany - AGW	/ (BAuA - TRGS	900, 29/01/201	8):			
CAS	VME :	VME :	Excess	Notes]	
56-81-5		200 E mg/m ³		2(I)		
54-11-5		0,5 mg/m ³		2(II)		
- France (INRS - I	ED984 :2016) :					
CAS	VME-ppm :	VME-mg/m3	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
54-11-5	-	0.5	-	-	-	-
- UK / WEL (Wor	kplace exposure	limits, EH40/20	05, 2011) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]
57-55-6	150 ppm	- ppm				
	474 mg/m ³	- mg/m ³				
56-81-5	- ppm	- ppm]
	10 mg/m ³	- mg/m ³				
54-11-5	- ppm	- ppm		Sk]
	$0,5 \text{ mg/m}^{3}$	$1,5 \text{ mg/m}^3$				

Predicted no effect concentration (PNEC):

PROPYLENE GLYCOL (CAS: 57-55-6) Environmental compartment: PNEC :	Soil. 50 mg/kg
Environmental compartment:	Fresh water.
PNEC :	260 mg/l
Environmental compartment:	Sea water.
PNEC :	26 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	183 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	572 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	57.2 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	20000 mg/l
Environmental compartment:	Fresh water predators (oral).
PNEC :	1133 mg/kg

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) LABORATOIRE LIPS FRANCE

E-LIQUIDE SALT EVAPOR LA PETITE CHOSE 20 MG/ML 50/50 - SEV-LAPETITECH-10-20

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not stated.
	Neutral.
Boiling point/boiling range :	Not specified.
Flash Point Interval :	$FP > 100^{\circ}C.$
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Soluble.
Viscosity:	$v < 7 \text{ mm}2/s (40^{\circ}\text{C})$
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

Version 2.1 (13/02/2019) - Page 5/9

E-LIQUIDE SALT EVAPOR LA PETITE CHOSE 20 MG/ML 50/50 - SEV-LAPETITECH-10-20

11.1. Information on toxicological effects		
Toxic if swallowed.		
1.1.1. Substances		
Acute toxicity :		
NICOTINE (ISO) (CAS: 54-11-5)		
Oral route :	LD50 = 5 mg/kg	
	Species : Rat	
Dermal route :	LD50 = 70 mg/kg	
	Species : Rabbit	
Inhalation route (Dusts/mist) :	LC50 = 0.19 mg/l	
	Species : Rat	
	Duration of exposure : 4 h	
PROPYLENE GLYCOL (CAS: 57-55-6)		
Oral route :	LD50 > 2000 mg/kg	
	Species : Rat	
Dermal route :	LD50 = 20800 ml/kg	
	Species : Rabbit	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May o		
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc	ency for Research on Cancer) :	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION	ency for Research on Cancer) :	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity	ency for Research on Cancer) :	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances	ency for Research on Cancer) :	
 Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) 	ency for Research on Cancer) : inogenic to humans.	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances	ency for Research on Cancer) :	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5)	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity :	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h	
 Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) 	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l	
 Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : 	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity :	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus	
 Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : 	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6)	LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6)	tency for Research on Cancer) : inogenic to humans. LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas Duration of exposure : 96 h	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6)	<pre>tency for Research on Cancer) : inogenic to humans.</pre> LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas Duration of exposure : 96 h EC50 = 34400 mg/l	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 2.1. Toxicity 2.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas Duration of exposure : 96 h	
Respiratory or skin sensitisation : Contains at least one sensitising substance. May of Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity : Crustacean toxicity :	 LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas Duration of exposure : 96 h EC50 = 34400 mg/l Species : Daphnia magna Duration of exposure : 48 h 	
Monograph(s) from the IARC (International Ag CAS 64-17-5 : IARC Group 1 : The agent is carc CCTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances NICOTINE (ISO) (CAS: 54-11-5) Fish toxicity : Algae toxicity : PROPYLENE GLYCOL (CAS: 57-55-6) Fish toxicity :	 LC50 = 4 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h ECr50 = 37 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h LC50 = 51400 mg/l Species : Pimephales promelas Duration of exposure : 96 h EC50 = 34400 mg/l Species : Daphnia magna 	

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

NICOTINE (ISO) (CAS: 54-11-5) Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
PROPYLENE GLYCOL (CAS: 57-55-6) Chemical oxygen demand :	DCO = 1.63 g/g
Five-day biochemical oxygen demand :	DBO5 = 1.08 g/g
Biodegradability :	Rapidly degradable. DBO5/DCO = 0.66
12.3. Bioaccumulative potential	
12.3.1. Substances	
NICOTINE (ISO) (CAS: 54-11-5) Octanol/water partition coefficient :	log Koe = 1.17
PROPYLENE GLYCOL (CAS: 57-55-6) Octanol/water partition coefficient :	log Koe = -0.30
Bioaccumulation :	BCF = 1.4
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vPvB assessment	
No data available.	
12.6. Other adverse effects	

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

2810

14.2. UN proper shipping name

UN2810=TOXIC LIQUID, ORGANIC, N.O.S. (nicotine (iso))

14.3. Transport hazard class(es)



14.4. Packing group

Ш

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunne
	6.1	T1	III	6.1	60	5 L	274 614	E1	2	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	6.1	-	III	5 L	F-A,S-A	223 274	E1			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	6.1	-	III	655	60 L	663	220 L	A3 A4	E1	
								A137		
	6.1	-	III	Y642	2 L	-	-	A3 A4	E1	
								A137	1	1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

- Container information:

The mixture is packed in an interior packaging, not exceeding 10 ml, the required labelling elements appear on the outer packaging. Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3).

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations :

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS06 : Skull and crossbones

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.