Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 9/30/2020 Version: 1.0

	ier					
Product form						
Trade name		-	: ONI ZERO			
.2. Relevant identi	fied uses of the substan	ce or mixtu	re and uses advised agai	nst		
.2.1. Relevant identi	fied uses					
Aain use category		: Industria	al use, Professional use			
2.2. Uses advised ag	ainst					
lo additional informa						
	upplier of the safety dat	a sheet				
Comunica Concept 0 rue François Durafo 2160 Andrézieux Bou - 04.77.40.09.71						
ontact@aromes-et-liq	<u>uides.fr</u>					
.4. Emergency tele	phone number					
Country	Organisation/Compan	ny	Address	Emergency number	Comment	
United Kingdom	National Poisons Informa (Birmingham Centre) City Hospital	ation Service	Dudley Road B18 7QH Birmingham	0344 892 0111		
ECTION 2: Hazar	de identification					
2.1. Classification of Classification accordir Skin sensitisation, Cate	f the substance or mixtung to Regulation (EC) No. 1 egory 1	272/2008 [CI	H317			
2.1. Classification of Classification accordin kin sensitisation, Cate Hazardous to the aqua full text of H statemer Adverse physicochem May cause an allergic	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronio nts : see section 16 ical, human health and envisa skin reaction. Harmful to ac	272/2008 [Cl c Hazard, Cat vironmental	H317 regory H412 effects			
2.1. Classification of Classification accordir Skin sensitisation, Cate Hazardous to the aqua Stull text of H statemer Adverse physicochem	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronio nts : see section 16 ical, human health and envisa skin reaction. Harmful to ac	272/2008 [Cl c Hazard, Cat vironmental	H317 regory H412 effects			
2.1. Classification of Classification accordin kin sensitisation, Cate lazardous to the aqua full text of H statemen Adverse physicochem May cause an allergic 2.2. Label elements abelling according to	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronic nts : see section 16 ical, human health and em skin reaction. Harmful to act	272/2008 [Cl c Hazard, Cat vironmental quatic life wit	H317 hegory H412 effects th long lasting effects.			
1. Classification of Classification accordin kin sensitisation, Cate lazardous to the aqua ull text of H statement Adverse physicochem Adverse physicochem Adverse an allergic C.2. Label elements abelling according to lazard pictograms (CL	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronic nts : see section 16 ical, human health and em skin reaction. Harmful to act	272/2008 [Cl c Hazard, Cat vironmental quatic life wit /2008 [CLP] :	H317 eegory H412 effects th long lasting effects.			
1. Classification of Classification accordin kin sensitisation, Cate lazardous to the aqua ull text of H statement Adverse physicochem Aay cause an allergic s C. Label elements abelling according to lazard pictograms (CL signal word (CLP)	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronic nts : see section 16 ical, human health and em skin reaction. Harmful to act	272/2008 [CI c Hazard, Cat vironmental quatic life wit /2008 [CLP] : : GHS : Warnin : (R)-p-m	H317 regory H412 effects th long lasting effects.	e; citral; linalool; 3,7-dimethy	l-1,6-octadien-3-ol; d	
2.1. Classification of classification accordin kin sensitisation, Cate lazardous to the aqua ull text of H statemen deverse physicochem May cause an allergic s abelling according to lazard pictograms (CL ignal word (CLP) contains	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronic nts : see section 16 ical, human health and em skin reaction. Harmful to ac Regulation (EC) No. 1272/ .P)	272/2008 [Cl c Hazard, Cat vironmental quatic life wit /2008 [CLP] : : GHS : Warnin : (R)-p-m linalool : H317 -	H317 eegory H412 effects th long lasting effects. 507 g eentha-1,8-diene; d-limonen	eaction.	ıl-1,6-octadien-3-ol; d	
2.1. Classification of Classification accordin skin sensitisation, Cate Hazardous to the aqua full text of H statemen Adverse physicochem May cause an allergic 2.2. Label elements	f the substance or mixtung to Regulation (EC) No. 1 egory 1 atic environment — Chronic nts : see section 16 ical, human health and envision reaction. Harmful to ac Regulation (EC) No. 1272/ .P)	272/2008 [CI c Hazard, Cat vironmental quatic life wit /2008 [CLP] : : : : : : : : : : : : : : : : : : :	H317 eegory H412 effects th long lasting effects. 507 g eentha-1,8-diene; d-limonen ; Geranyl acetate May cause an allergic skin re Harmful to aquatic life with Avoid breathing vapours. Wear protective gloves, eye Specific treatment (see supp '313 - If skin irritation or rash	eaction. long lasting effects.	on this label). attention.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
citral	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3	2.124 – 2.136	Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
(R)-p-mentha-1,8-diene; d-limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	0.9 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
	(CAS-No.) 470-82-6	0.1-0.9	Flam. Liq. 3, H226 Skin Sens. 1, H317
gamma-terpinen	(CAS-No.) 99-85-4	0.1 - 0.9	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	0.1 - 0.9	Flam. Liq. 3, H226
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2	0.2401 – 0.2412	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5	0.1 - 0.9	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
isobutyl acetate substance with a Community workplace exposure limit	(CAS-No.) 110-19-0 (EC-No.) 203-745-1 (EC Index-No.) 607-026-00-7	< 0.1	Flam. Liq. 2, H225

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects, b	both acute and delayed
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medical atte	ention and special treatment needed

Treat symptomatically.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage 7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.	
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.	

Storage conditions 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters		
isobutyl acetate (110-19-0)		
EU - Occupational Exposure Limits		
Local name	Isobutyl acetate	
IOELV TWA (mg/m³)	241 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	723 mg/m ³	
IOELV STEL (ppm)	150 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethyl acetate (141-78-6)		
EU - Occupational Exposure Limits		
Local name	Ethyl acetate	
IOELV TWA (mg/m³)	734 mg/m ³	
IOELV TWA (ppm)	200 ppm	
IOELV STEL (mg/m ³)	1468 mg/m ³	
IOELV STEL (ppm) 400 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	

isopentyl acetate (123-92-2)		
EU - Occupational Exposure Limits		
Local name	Isopentylacetate	
IOELV TWA (mg/m³)	270 mg/m ³	
OELV TWA (ppm) 50 ppm		
IOELV STEL (mg/m³)	540 mg/m ³	
IOELV STEL (ppm)	100 ppm	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC		
8.2. Exposure controls		

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and ch	emical properties	
9.1. Information on basic phy	sical and chemical properties	
Physical state	: Liquid	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.048384 (1.048384 – 1.048384)
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and re	activity
10.1. Reactivity	
The product is non-reactive under	normal conditions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous r	eactions
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
None under recommended storage	e and handling conditions (see section 7).
10.5. Incompatible materials	
No additional information available	5
10.6. Hazardous decomposition	n products
Under normal conditions of storage	e and use, hazardous decomposition products should not be produced.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity (oral)	: Not classified

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

citral (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374

isobutyl acetate (110-19-0)	
LD50 oral rat	13413 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 17400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

ethyl acetate (141-78-6)	
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg bodyweight Animal: rat, 95% CL: 5450 - 7340
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

citral (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)	
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)		
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal	

Toxicity: 90-Day Study)

ethyl acetate (141-78-6)	
LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

Geranyl acetate (105-87-3)	
	2000 mg/kg bodyweight Animal: rat, Guideline: other:Specifications for the Conduct of Studies to Evaluate the Toxic and Carcinogenic Potential of Chemical, Biological, and Physical Agents in Laboratory Animals for the National Toxicology Program (NTP)

Aspiration hazard

: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short- term (acute)	: Not classified
Hazardous to the aquatic environment, long- term (chronic)	: Harmful to aquatic life with long lasting effects.

Not rapidly degradable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 fish 1	720 μg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

citral (5392-40-5)	
LC50 fish 1	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 Daphnia 1	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)	
LC50 fish 1	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	59 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 96h algae (1)	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h algae (2)	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

isobutyl acetate (110-19-0)	
LC50 fish 1	17 mg/l Test organisms (species): Oryzias latipes
EC50 Daphnia 1	25 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	370 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	250 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

ethyl acetate (141-78-6)	
LC50 fish 1	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Geranyl acetate (105-87-3)	
LC50 fish 1	68.12 mg/l Test organisms (species): Leuciscus idus
EC50 Daphnia 1	14.1 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	3.72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

isopentyl acetate (123-92-2)	
LC50 fish 1	22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	42 mg/l Test organisms (species): other:Daphnia magna STRAUS
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name	
Not applicable	Not applicable	Not applicable
14.3. Transport hazard c	lass(es)	
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	
Not applicable	Not applicable	Not applicable
No supplementary informat	ion available	·

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	1
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.