Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/13/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product form	: Mixtur	e		
Product name	: MANG	O PINEAPPLE PASSION MIX FLAV	OUR & NEOTAME E961 M	(-428
Product code	: MIX-M	X428		
1.2. Relevant identifi	ed uses of the substance or mixtu	are and uses advised against		
1.2.1. Relevant identifi	ed uses			
Main use category	: Industri	al use, Professional use		
1.2.2. Uses advised aga	inst			
No additional information available				
1.3. Details of the supplier of the safety data sheet				
Comunica Concept 10 rue François Durafour 42160 Andrézieux Bouthéon - FRANCE T 04.77.40.09.71 contact@aromes-et-liquides.fr				
1.4. Emergency telephone number				
Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 12	72/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Warning
Contains	: 4-hydroxy-2,5-dimethylfuran-2(3H)-one; linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl- linalool; (R)-p-mentha-1,8-diene; d-limonene; Allyl 3-cyclohexylpropionate
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing vapours. P280 - Wear protective gloves, eye protection, face protection. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
--------------------------------	--

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-isopropyl-N,2,3-trimethylbutyramide	(CAS-No.) 51115-67-4	7 – 10	Acute Tox. 4 (Oral), H302
ethyl butyrate	(CAS-No.) 105-54-4	3-5	Flam. Liq. 3, H226 Eye Irrit. 2, H319
ethyl hexanoate	(CAS-No.) 123-66-0	2 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315
allyl hexanoate	(CAS-No.) 123-68-2 (EC-No.) 204-642-4	0.9 – 2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	0.1-0.9	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
4-hydroxy-2,5-dimethylfuran-2(3H)-one	(CAS-No.) 3658-77-3	0.1 - 0.9	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317
Allyl 3-cyclohexylpropionate	(CAS-No.) 2705-87-5 (EC-No.) 220-292-5	0.1 - 0.9	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
acetic acid 99% substance with a Community workplace exposure limit	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	0.1-0.9	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	0.1-0.9	Flam. Liq. 3, H226
ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0.1 - 0.9	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2	0.1189 – 0.1242	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
---	--	--------------------	---

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
acetic acid 99%	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures 5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Flammable liquid and vapour.	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact wit skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Ground/bond container and receiving equipment.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
ethyl acetate (141-78-6)		
EU - Occupational Exposure Limits		
Local name	Ethyl acetate	
IOELV TWA (mg/m ³)	734 mg/m³	
IOELV TWA (ppm)	200 ppm	
IOELV STEL (mg/m ³)	1468 mg/m ³	
IOELV STEL (ppm)	400 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	

sopentyl acetate (123-92-2)	
EU - Occupational Exposure Limits	
Local name	Isopentylacetate
IOELV TWA (mg/m³)	270 mg/m ³
IOELV TWA (ppm)	50 ppm
IOELV STEL (mg/m ³)	540 mg/m ³
IOELV STEL (ppm)	100 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

acetic acid 99% (64-19-7)	
EU - Occupational Exposure Limits	
Local name	Acetic acid
IOELV TWA (mg/m³)	25 mg/m³
IOELV TWA (ppm)	10 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

acetic acid 99% (64-19-7)	
IOELV STEL (mg/m ³)	50 mg/m ³
IOELV STEL (ppm)	20 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
8.2. Exposure controls	

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:			
Protective gloves			
Eye protection:			
Safety glasses			

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: colourless to pale yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 43 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Flammable liquid and vapour.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials		
No additional information available		

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374

ethyl acetate (141-78-6)	
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male

ethyl hexanoate (123-66-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)	

Allyl 3-cyclohexylpropionate (2705-87-5)	
LD50 oral rat	585 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 480 - 714
LD50 oral	380 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 172 - 834
LD50 dermal rabbit	1600 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 430 - 2770

allyl hexanoate (123-68-2)	
LD50 oral	280 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 246 - 319
LD50 dermal rabbit	820 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 700 - 940

acetic acid 99% (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat
LD50 oral	4960 mg/kg bodyweight Animal: mouse
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

ethyl acetate (141-78-6)	
LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male	acetic acid 99% (64-19-7)	
	NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aspiration hazard

: Not classified

SECTION 12: Ecological information 12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short- term (acute)	: Not classified
Hazardous to the aquatic environment, long- term (chronic)	: Harmful to aquatic life with long lasting effects.
Not rapidly degradable	

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)	
LC50 fish 1	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	59 mg/l Test organisms (species): Daphnia magna
EC50 96h algae (1)	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h algae (2)	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

ethyl acetate (141-78-6)	
LC50 fish 1	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

isopentyl acetate (123-92-2)	
LC50 fish 1	22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	42 mg/l Test organisms (species): other:Daphnia magna STRAUS

ethyl hexanoate (123-66-0)	
LC50 fish 1	6.74 mg/l
EC50 Daphnia 1	56 mg/l
ErC50 (algae)	11.8 mg/l

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 fish 1	720 μg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'

Allyl 3-cyclohexylpropionate (2705-87-5)	
LC50 fish 1	0.13 mg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	3.8 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 72h algae (1)	3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	2.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

allyl hexanoate (123-68-2)	
LC50 fish 1	0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	2 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 4.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h algae (2)	0.778 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

acetic acid 99% (64-19-7)	
LC50 fish 1	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 fish 2	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 Daphnia 2	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h algae (2)	> 300.82 mg/l Test organisms (species): Skeletonema costatum
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapours may accumulate in the container.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	

ADR	IMDG	ΙΑΤΑ
14.1. UN number		
UN 1197	UN 1197	UN 1197

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping	name	
EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID	Extracts, flavouring, liquid
Transport document descrip		
UN 1197 EXTRACTS,	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III	UN 1197 Extracts, flavouring, liquid, 3, III
14.3. Transport hazard cla	ass(es)	
3	3	3
14.4. Packing group		I
14.5. Environmental haza	rds	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information	on available	
14.6. Special precautions f	or user	
Overland transport		
Classification code (ADR)	: F1	
Special provisions (ADR)	: 60:	1
Limited quantities (ADR)	: 51	
Excepted quantities (ADR)	: E1	
Packing instructions (ADR)	: P00	01, IBC03, LP01, R001
Mixed packing provisions (ADI	R) : MF	219
Portable tank and bulk contaiı (ADR)	ner instructions : T2	
Portable tank and bulk contain provisions (ADR)	ner special : TP:	1
Tank code (ADR)	: LGI	BF
Vehicle for tank carriage	: FL	
Transport category (ADR) : 3		
Special provisions for carriage - Packages (ADR) : V12		2
Special provisions for carriage	- Operation (ADR) : S2	
Hazard identification number (Kemler No.) : 30		
Orange plates		30 1197
Tunnel restriction code (ADR)	: D/I	
EAC code	: 31	E
Transport by sea		
Transport by sea Special provisions (IMDG)	: 22:	3, 955

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L

PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.