Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 10/13/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: STRAWBERRY PINEAPPLE MIX FLAVOUR & E961 MX-191 Product name

Product code : MIX-MX191

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Comunica Concept 10 rue François Durafour 42160 Andrézieux Bouthéon - FRANCE T 04.77.40.09.71 contact@aromes-et-liquides.fr

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|-----------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |
| | City Hospital | | | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Skin sensitisation, Category 1 H317

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Warning

Contains : 4-hydroxy-2,5-dimethylfuran-2(3H)-one; 4-hydroxy-2,5-dimethylfuran-2(3H)-one;

Methyl cinnamate

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing vapours.

P280 - Wear protective gloves, eye protection, face protection.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------|---|
| 2-isopropyl-N,2,3-trimethylbutyramide | (CAS-No.) 51115-67-4 | 3 – 5 | Acute Tox. 4 (Oral), H302 |
| allyl hexanoate | (CAS-No.) 123-68-2 (EC-No.) 204-642-4 | 0.9 – 2 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| ethyl hexanoate | (CAS-No.) 123-66-0 | 0.9 – 2 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 |
| ethyl acetate substance with a Community workplace exposure limit | (CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 | 0.9 – 2 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| 4-hydroxy-2,5-dimethylfuran-2(3H)-one | (CAS-No.) 3658-77-3 | 0.1 – 0.9 | Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 |
| acetic acid 99% substance with a Community workplace exposure limit | (CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6 | 0.1 – 0.9 | Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 |
| Methyl cinnamate | (CAS-No.) 103-26-4 (EC-No.) 203-093-8 | 0.1 – 0.9 | Skin Sens. 1B, H317 |
| isopentyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32 | 0.1 – 0.9 | Flam. Liq. 3, H226 |
| propionic acid 99% substance with a Community workplace exposure limit | (CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0 | 0.1 – 0.9 | Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| propionic acid 99% substance with a Community workplace exposure limit | (CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0 | < 0.1 | Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| 4-hydroxy-2,5-dimethylfuran-2(3H)-one | (CAS-No.) 3658-77-3 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 |
| n-butyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-86-4 (EC-No.) 204-658-1 (EC Index-No.) 607-025-00-1 | < 0.1 | Flam. Liq. 3, H226 STOT SE 3, H336 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| isoamylic alcohol substance with a Community workplace exposure limit | (CAS-No.) 123-51-3 (EC-No.) 204-633-5 | < 0.1 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |
|---|--|-------|---|
| isopentyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32 | < 0.1 | Flam. Liq. 3, H226 |

| Specific concentration limits: | | |
|--------------------------------|--|--|
| Name | Product identifier | Specific concentration limits |
| acetic acid 99% | (CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6 | (10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314 |
| propionic acid 99% | (CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0 | (10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C ≤ 100) STOT SE 3, H335 (25 ≤C ≤ 100) Skin Corr. 1B, H314 |
| propionic acid 99% | (CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0 | (10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C ≤ 100) STOT SE 3, H335 (25 ≤C ≤ 100) Skin Corr. 1B, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers

or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| propionic acid 99% (79-09-4) | |
|-----------------------------------|---------------------------------|
| EU - Occupational Exposure Limits | |
| Local name | Propionic acid |
| IOELV TWA (mg/m³) | 31 mg/m³ |
| IOELV TWA (ppm) | 10 ppm |
| IOELV STEL (mg/m³) | 62 mg/m³ |
| IOELV STEL (ppm) | 20 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |

| isoamylic alcohol (123-51-3) | |
|-----------------------------------|-----------------|
| EU - Occupational Exposure Limits | |
| Local name | Isoamyl alcohol |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| isoamylic alcohol (123-51-3) | |
|------------------------------|-------------------------------------|
| IOELV TWA (mg/m³) | 18 mg/m³ |
| IOELV TWA (ppm) | 5 ppm |
| IOELV STEL (mg/m³) | 37 mg/m³ |
| IOELV STEL (ppm) | 10 ppm |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2019/1831 |

| n-butyl acetate (123-86-4) | |
|-----------------------------------|-------------------------------------|
| EU - Occupational Exposure Limits | |
| Local name | n-Butyl acetate |
| IOELV TWA (mg/m³) | 241 mg/m³ |
| IOELV TWA (ppm) | 50 ppm |
| IOELV STEL (mg/m³) | 723 mg/m³ |
| IOELV STEL (ppm) | 150 ppm |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2019/1831 |

| acetic acid 99% (64-19-7) | |
|-----------------------------------|------------------------------------|
| EU - Occupational Exposure Limits | |
| Local name | Acetic acid |
| IOELV TWA (mg/m³) | 25 mg/m³ |
| IOELV TWA (ppm) | 10 ppm |
| IOELV STEL (mg/m³) | 50 mg/m ³ |
| IOELV STEL (ppm) | 20 ppm |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 |

| ethyl acetate (141-78-6) | |
|-----------------------------------|------------------------------------|
| EU - Occupational Exposure Limits | |
| Local name | Ethyl acetate |
| IOELV TWA (mg/m³) | 734 mg/m³ |
| IOELV TWA (ppm) | 200 ppm |
| IOELV STEL (mg/m³) | 1468 mg/m³ |
| IOELV STEL (ppm) | 400 ppm |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 |

| isopentyl acetate (123-92-2) | |
|-----------------------------------|-----------------------|
| EU - Occupational Exposure Limits | |
| Local name Isopentylacetate | |
| IOELV TWA (mg/m³) | 270 mg/m ³ |
| IOELV TWA (ppm) | 50 ppm |
| IOELV STEL (mg/m³) | 540 mg/m³ |
| IOELV STEL (ppm) | 100 ppm |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| isopentyl acetate (123-92-2) | |
|------------------------------|---------------------------------|
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |

| isopentyl acetate (123-92-2) | |
|-----------------------------------|---------------------------------|
| EU - Occupational Exposure Limits | |
| Local name | Isopentylacetate |
| IOELV TWA (mg/m³) | 270 mg/m³ |
| IOELV TWA (ppm) | 50 ppm |
| IOELV STEL (mg/m³) | 540 mg/m³ |
| IOELV STEL (ppm) | 100 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |

| propionic acid 99% (79-09-4) | |
|--|----------------------|
| EU - Occupational Exposure Limits | |
| Local name | Propionic acid |
| IOELV TWA (mg/m³) | 31 mg/m ³ |
| IOELV TWA (ppm) | 10 ppm |
| IOELV STEL (mg/m³) | 62 mg/m³ |
| IOELV STEL (ppm) | 20 ppm |
| Regulatory reference COMMISSION DIRECTIVE 2000/39/EC | |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

| Hand protection: | |
|-------------------|--|
| Protective gloves | |

| Eye protection: |
|-----------------|
| Safety glasses |

| Skin and body protection: |
|-----------------------------------|
| Wear suitable protective clothing |

| Respiratory protection: |
|--|
| In case of insufficient ventilation, wear suitable respiratory equipment |

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available **Boiling point** : No data available

Flash point : 43 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Not applicable

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 1.026716 (1.026716 – 1.026716)

Solubility : soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| allyl hexanoate (123-68-2) | |
|----------------------------|---|
| LD50 oral | 280 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 246 - 319 |
| LD50 dermal rabbit | 820 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 700 - 940 |

| propionic acid 99% (79-09-4) | |
|------------------------------|---|
| LD50 oral rat | 3455.1 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2978,9 - 4007,5 |
| LD50 dermal rat | 3235 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 inhalation rat (mg/l) | > 20 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

| soamylic alcohol (123-51-3) | |
|-----------------------------|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | ≈ 3216 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 2373 - 4350 |

| acetic acid 99% (64-19-7) | |
|---------------------------|-------------------------------------|
| LD50 oral rat | 3310 mg/kg bodyweight Animal: rat |
| LD50 oral | 4960 mg/kg bodyweight Animal: mouse |

| ethyl acetate (141-78-6) | |
|--------------------------|---|
| LD50 oral | 4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | > 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male |

| ethyl hexanoate (123-66-0) | |
|----------------------------|--------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |

| propionic acid 99% (79-09-4) | |
|------------------------------|---|
| LD50 oral rat | 3455.1 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2978,9 - 4007,5 |
| LD50 dermal rat | 3235 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 inhalation rat (mg/l) | > 20 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

| Methyl cinnamate (103-26-4) | |
|-----------------------------|---|
| LD50 oral rat | 2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2000 - 3410 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

| isoamylic alcohol (123-51-3) | |
|------------------------------|--|
| | 1250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

| acetic acid 99% (64-19-7) | |
|----------------------------|--|
| NOAEL (oral, rat, 90 days) | 290 mg/kg bodyweight Animal: rat, Animal sex: male |

| ethyl acetate (141-78-6) | |
|----------------------------|--|
| LOAEL (oral, rat, 90 days) | 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) |
| NOAEL (oral, rat, 90 days) | 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test) |

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

Not rapidly degradable

| allyl hexanoate (123-68-2) | |
|----------------------------|---|
| LC50 fish 1 | 0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 Daphnia 1 | 2 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | > 4.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h algae (2) | 0.778 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| propionic acid 99% (79-09-4) | |
|------------------------------|---|
| LC50 fish 1 | > 10000 mg/l Test organisms (species): Leuciscus idus |
| EC50 Daphnia 1 | > 500 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | > 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| isoamylic alcohol (123-51-3) | |
|------------------------------|---|
| LC50 fish 1 | 700 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 Daphnia 1 | 255 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | > 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h algae (2) | 493 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 96h algae (1) | 274 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 96h algae (2) | 181 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| n-butyl acetate (123-86-4) | |
|----------------------------|---|
| LC50 fish 1 | 18 mg/l Test organisms (species): Pimephales promelas |
| EC50 Daphnia 1 | 44 mg/l Test organisms (species): Daphnia sp. |
| EC50 72h algae (1) | 674.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 23 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

| acetic acid 99% (64-19-7) | |
|---------------------------|--|
| LC50 fish 1 | > 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| LC50 fish 2 | > 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 Daphnia 1 | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 Daphnia 2 | > 300.82 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | > 1000 mg/l Test organisms (species): Skeletonema costatum |
| EC50 72h algae (2) | > 300.82 mg/l Test organisms (species): Skeletonema costatum |

| ethyl acetate (141-78-6) | |
|--------------------------|---|
| LC50 fish 1 | 230 mg/l Test organisms (species): Pimephales promelas |
| NOEC (chronic) | 2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

| isopentyl acetate (123-92-2) | |
|------------------------------|---|
| LC50 fish 1 | 22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 Daphnia 1 | 42 mg/l Test organisms (species): other:Daphnia magna STRAUS |

| ethyl hexanoate (123-66-0) | |
|----------------------------|-----------|
| LC50 fish 1 | 6.74 mg/l |
| EC50 Daphnia 1 | 56 mg/l |
| ErC50 (algae) | 11.8 mg/l |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| isopentyl acetate (123-92-2) | |
|------------------------------|---|
| LC50 fish 1 | 22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 Daphnia 1 | 42 mg/l Test organisms (species): other:Daphnia magna STRAUS |

| propionic acid 99% (79-09-4) | |
|------------------------------|---|
| LC50 fish 1 | > 10000 mg/l Test organisms (species): Leuciscus idus |
| EC50 Daphnia 1 | > 500 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | > 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

| Methyl cinnamate (103-26-4) | |
|-----------------------------|--|
| LC50 fish 1 | 2.76 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 Daphnia 1 | 24 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | 7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

Additional information : Flammable vapours may accumulate in the container.


SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | |
|---|---|--|--|
| 14.1. UN number | 14.1. UN number | | |
| UN 1197 | UN 1197 | UN 1197 | |
| 14.2. UN proper shipping | 14.2. UN proper shipping name | | |
| EXTRACTS, FLAVOURING, LIQUID | EXTRACTS, FLAVOURING, LIQUID | Extracts, flavouring, liquid | |
| Transport document description | | | |
| UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, (D/E) | UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III | UN 1197 Extracts, flavouring, liquid, 3, III | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Operation (ADR) : S2

Hazard identification number (Kemler No.) : 30

Hazard Identification number (Kemier No.)

30 1197

: TP1

Tunnel restriction code (ADR) : D/E
EAC code : 3YE

Transport by sea

Orange plates

Special provisions (IMDG): 223, 955Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the

composition.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

| SECTION 16: Other information | |
|--------------------------------------|---|
| Abbreviations and acronyms: | |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| LD50 | Median lethal dose |
|-------|---|
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |
| WGK | Water Hazard Class |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Corr. 1 | Skin corrosion/irritation, Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| H314 | Causes severe skin burns and eye damage. |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H412 | Harmful to aquatic life with long lasting effects. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.