

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 9/30/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : VALKYRIE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Comunica Concept 10 rue François Durafour 42160 Andrézieux Bouthéon - FRANCE T 04.77.40.09.71

contact@aromes-et-liquides.fr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Contains : 4-hydroxy-2,5-dimethylfuran-2(3H)-one; Methyl cinnamate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P261 - Avoid breathing vapours.

 ${\tt P280-Wear\ protective\ gloves,\ eye\ protection,\ face\ protection.}$

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mix	Ħ	П	re	C

3.2. WIIXLUIES			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-isopropyl-N,2,3-trimethylbutyramide	(CAS-No.) 51115-67-4	3 – 5	Acute Tox. 4 (Oral), H302
cis-hex-3-en-1-ol	(CAS-No.) 928-96-1 (EC-No.) 213-192-8	0.9 – 2	Flam. Liq. 3, H226 Eye Irrit. 2, H319
ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5	0.1 – 0.9	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
4-hydroxy-2,5-dimethylfuran-2(3H)-one	(CAS-No.) 3658-77-3	0.1 – 0.9	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317
acetic acid 99% substance with a Community workplace exposure limit	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	0.1 – 0.9	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
Methyl cinnamate	(CAS-No.) 103-26-4 (EC-No.) 203-093-8	0.1 – 0.9	Skin Sens. 1B, H317
propionic acid 99% substance with a Community workplace exposure limit	(CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0	< 0.1	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
isopentyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	< 0.1	Flam. Liq. 3, H226
n-butyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-86-4 (EC-No.) 204-658-1 (EC Index-No.) 607-025-00-1	< 0.1	Flam. Liq. 3, H226 STOT SE 3, H336
isobutyl acetate substance with a Community workplace exposure limit	(CAS-No.) 110-19-0 (EC-No.) 203-745-1 (EC Index-No.) 607-026-00-7	< 0.1	Flam. Liq. 2, H225

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
acetic acid 99%	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314
propionic acid 99%	(CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C ≤ 100) STOT SE 3, H335 (25 ≤C ≤ 100) Skin Corr. 1B, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

acetic acid 99% (64-19-7)

EU - Occupational Exposure Limits

Local name Acetic acid

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

acetic acid 99% (64-19-7)		
IOELV TWA (mg/m³)	25 mg/m³	
IOELV TWA (ppm)	10 ppm	
IOELV STEL (mg/m³)	50 mg/m ³	
IOELV STEL (ppm)	20 ppm	
Regulatory reference COMMISSION DIRECTIVE (EU) 2017/164		

ethyl acetate (141-78-6)		
EU - Occupational Exposure Limits		
Local name	Ethyl acetate	
IOELV TWA (mg/m³)	734 mg/m³	
IOELV TWA (ppm)	200 ppm	
IOELV STEL (mg/m³)	1468 mg/m³	
IOELV STEL (ppm)	400 ppm	
Regulatory reference COMMISSION DIRECTIVE (EU) 2017/164		

isopentyl acetate (123-92-2)		
EU - Occupational Exposure Limits		
Local name	Isopentylacetate	
IOELV TWA (mg/m³)	270 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	540 mg/m³	
IOELV STEL (ppm)	100 ppm	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC		

propionic acid 99% (79-09-4)		
EU - Occupational Exposure Limits		
Local name	Propionic acid	
IOELV TWA (mg/m³)	31 mg/m ³	
IOELV TWA (ppm)	10 ppm	
IOELV STEL (mg/m³)	62 mg/m ³	
IOELV STEL (ppm) 20 ppm		
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC		

n-butyl acetate (123-86-4)		
EU - Occupational Exposure Limits		
Local name	n-Butyl acetate	
IOELV TWA (mg/m³)	241 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	723 mg/m³	
IOELV STEL (ppm)	150 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

n-butyl acetate (123-86-4)	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831

isobutyl acetate (110-19-0)		
EU - Occupational Exposure Limits		
Local name	Isobutyl acetate	
IOELV TWA (mg/m³)	241 mg/m³	
IOELV TWA (ppm)	50 ppm	
IOELV STEL (mg/m³)	723 mg/m ³	
OELV STEL (ppm) 150 ppm		
Regulatory reference COMMISSION DIRECTIVE (EU) 2019/1831		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection:	
Safety glasses	

Skin and body protection:
Wear suitable protective clothing

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : pink.

Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point : No data available

Flash point : > $60 \, ^{\circ}\text{C}$

: No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosive properties** : No data available Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

acetic acid 99% (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight Animal: rat
LD50 oral	4960 mg/kg bodyweight Animal: mouse

ethyl acetate (141-78-6)	
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

cis-hex-3-en-1-ol (928-96-1)	
LD50 oral rat	4615 mg/kg bodyweight Animal: rat, 95% CL: 4045 - 6265
LC50 inhalation rat (mg/l)	> 4.99 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)

propionic acid 99% (79-09-4)	
LD50 oral rat	3455.1 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2978,9 - 4007,5
LD50 dermal rat	3235 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	> 20 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

isobutyl acetate (110-19-0)	
LD50 oral rat	13413 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 17400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Methyl cinnamate (103-26-4)	
LD50 oral rat	2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2000 - 3410
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

: Not classified Reproductive toxicity

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

acetic acid 99% (64-19-7)	
NOAEL (oral, rat, 90 days)	290 mg/kg bodyweight Animal: rat, Animal sex: male

ethyl acetate (141-78-6)	
LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

cis-hex-3-en-1-ol (928-96-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to a quatic organisms nor to cause long-term $% \left(1\right) =\left(1\right) \left(1\right) \left($

adverse effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

Not rapidly degradable

acetic acid 99% (64-19-7)	
LC50 fish 1	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 fish 2	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 Daphnia 2	> 300.82 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 1000 mg/l Test organisms (species): Skeletonema costatum
EC50 72h algae (2)	> 300.82 mg/l Test organisms (species): Skeletonema costatum

ethyl acetate (141-78-6)	
LC50 fish 1	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

cis-hex-3-en-1-ol (928-96-1)	
LC50 fish 1	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 76 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

isopentyl acetate (123-92-2)	
LC50 fish 1	22 – 46 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	42 mg/l Test organisms (species): other:Daphnia magna STRAUS

propionic acid 99% (79-09-4)		
	LC50 fish 1	> 10000 mg/l Test organisms (species): Leuciscus idus
	EC50 Daphnia 1	> 500 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 72h algae (1)	> 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name:
	Scenedesmus subspicatus)

n-butyl acetate (123-86-4)	
LC50 fish 1	18 mg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	44 mg/l Test organisms (species): Daphnia sp.
EC50 72h algae (1)	674.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

isobutyl acetate (110-19-0)	
LC50 fish 1	17 mg/l Test organisms (species): Oryzias latipes
EC50 Daphnia 1	25 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	370 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	250 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	23 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Methyl cinnamate (103-26-4)	
LC50 fish 1	2.76 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	24 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA
14.1. UN number		
Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate BLV Biological limit value CAS-No. Chemical Abstract Service number CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 **DMEL** Derived Minimal Effect level DNEL Derived-No Effect Level EC50 Median effective concentration

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.